

# Dimensiones según norma ASME B-16.21

DIAMETRO NOMINAL	ESTILO DE DIAMETRO LA JUNTA		DIAMETRO EXTERIOR			DIAM. BAJO CENTRO DE BARRENO			No. DE BARRENOS			DIAMETRO BARRENO			
	FF	RF	INTERIOR	150#	300#	600#	150#	300#	600#	150#	300#	600#	150#	300#	600#
				150#	300#	600#	150#	300#	600#	150#	300#	600#	150#	300#	600#
1/2"	FF	RF	27/32"	3 1/2"	3 3/4"	3 3/4"	2 3/8"	2 5/8"	2 5/8"	4	4	4	5/8"	5/8"	5/8"
3/4"	FF	RF	1 1/16"	3 7/8"	4 5/8"	4 5/8"	2 3/4"	3 1/4"	3 1/4"	4	4	4	5/8"	3/4"	3/4"
1"	FF	RF	1 5/16"	4 1/4"	4 7/8"	4 7/8"	3 1/8"	3 1/2"	3 1/2"	4	4	4	5/8"	3/4"	3/4"
1 1/4"	FF	RF	1 21/32"	4 5/8"	5 1/4"	5 1/4"	3 1/2"	3 7/8"	3 7/8"	4	4	4	5/8"	3/4"	3/4"
1 1/2"	FF	RF	1 29/32"	5"	6 1/8"	6 1/8"	3 7/8"	4 1/2"	4 1/2"	4	4	4	5/8"	7/8"	7/8"
2"	FF	RF	2 3/8"	6"	6 1/2"	6 1/2"	4 3/4"	5"	5"	4	8	8	3/4"	3/4"	3/4"
2 1/2"	FF	RF	2 7/8"	7"	7 1/2"	7 1/2"	5 1/2"	5 7/8"	5 7/8"	4	8	8	3/4"	7/8"	7/8"
3"	FF	RF	3 1/2"	7 1/2"	8 1/4"	8 1/4"	6"	6 5/8"	6 5/8"	4	8	8	3/4"	7/8"	7/8"
3 1/2"	FF	RF	4"	8 1/2"	9"	9"	7"	7 1/4"	7 1/4"	8	8	8	3/4"	7/8"	1"
4"	FF	RF	4 1/2"	9"	10"	10 3/4"	7 1/2"	7 7/8"	8 1/2"	8	8	8	3/4"	7/8"	1"
5"	FF	RF	5 9/16"	10"	11"	13"	8 1/2"	9 1/4"	10 1/2"	8	8	8	7/8"	7/8"	1 1/8"
6"	FF	RF	6 5/8"	11"	12 1/2"	14"	9 1/2"	10 5/8"	11 1/2"	8	12	12	7/8"	7/8"	1 1/8"
8"	FF	RF	8 5/8"	13 1/2"	15"	16 1/2"	11 3/4"	13"	13 3/4"	8	12	12	7/8"	1"	1 1/4"
10"	FF	RF	10 3/4"	16"	17 1/2"	20"	14 1/4"	15 1/4"	17"	12	16	16	1"	1 1/8"	1 3/8"
12"	FF	RF	12 3/4"	19"	20 1/2"	22"	17"	17 3/4"	19 1/4"	12	16	20	1"	1 1/4"	1 3/8"
14"	FF	RF	14"	21"	23"	23 3/4"	18 3/4"	20 1/4"	20 3/4"	12	20	20	1 1/8"	1 1/4"	1 1/2"
16"	FF	RF	16"	23 1/2"	25 1/2"	27"	21 1/4"	22 1/2"	23 3/4"	16	20	20	1 1/8"	1 3/8"	1 5/8"
18"	FF	RF	18"	25"	28"	29 1/4"	22 3/4"	24 3/4"	25 3/4"	16	24	20	1 1/4"	1 3/8"	1 3/4"
20"	FF	RF	20"	27 1/2"	30 1/2"	32"	25"	27"	28 1/2"	20	24	24	1 1/4"	1 3/8"	1 3/4"
24"	FF	RF	24"	32"	36"	37"	29 1/2"	32"	33"	20	24	24	1 3/8"	1 5/8"	2"